

10 DAY Q

| | | |
|---------------------------------------------------|------|-------------------|
| luminaire series | | <u>FEQ</u> |
| Equation | FEQ | |
| nominal size | | <u>14</u> |
| 1' x 4' | 14 | |
| distribution | | <u>B</u> |
| Bi-Directional | B | |
| lamp quantity | | <u> </u> |
| One Lamp | 1 | |
| Two Lamps | 2 | |
| lamp type | | <u> </u> |
| T8 (two lamp only) | T8 | |
| T5HO | T5HO | |
| T5 | T5 | |
| ballast | | <u> </u> |
| Electronic Instant Start <20% THD (T8 only) | E | |
| Electronic Program Start <10% THD | S | |
| voltage | | <u> </u> |
| 120 Volt | 120 | |
| 277 Volt | 277 | |
| mounting | | <u> </u> |
| 15/16" Grid | G1 | |
| 9/16" Grid | G2 | |
| 9/16" Slot Tee | G3 | |
| shielding | | <u> </u> |
| Natural Anodized Side Rails | AL | |
| High Performance White Side Rails | WP | |
| factory options | | <u> </u> |
| Air Return | AR | |
| Chicago Plenum | CP | |
| Drywall Frame Kit | DF | |
| Emergency Battery Pack | EM | |
| HLR/GLR Fuse | FU | |
| Flex Whip | FW | |
| Separate Circuit | SC | |
| finish | | <u>WH</u> |
| Matte Satin White | WH | |

equation™ 1x4

Terms: 50 pieces or less.




10 DAY Q

| | | |
|---------------------------------------------------|------|-------------------|
| luminaire series | | <u>FEQ</u> |
| Equation | FEQ | |
| nominal size | | <u>22</u> |
| 2' x 2' | 22 | |
| distribution | | <u>B</u> |
| Bi-Directional | B | |
| lamp quantity | | <u> </u> |
| One Lamp | 1 | |
| Two Lamp | 2 | |
| Three Lamp (T5/T5H0 or T8 only) | 3 | |
| lamp type | | <u> </u> |
| 40 Watt Biax | BX40 | |
| 50 Watt Biax | BX50 | |
| 55 Watt Biax | BX55 | |
| T5 | T5 | |
| T5H0 | T5H0 | |
| T8 | T8 | |
| ballast | | <u> </u> |
| Electronic Instant Start <20% THD (T8 only) | E | |
| Electronic Program Start <10% THD | S | |
| voltage | | <u> </u> |
| 120 Volt | 120 | |
| 277 Volt | 277 | |
| mounting | | <u> </u> |
| 15/16" Grid | G1 | |
| 9/16" Grid | G2 | |
| 9/16" Slot Tee | G3 | |
| shielding | | <u> </u> |
| Natural Anodized Side Rails | AL | |
| High Performance White Side Rails | WP | |
| factory options | | <u> </u> |
| Air Return | AR | |
| Chicago Plenum | CP | |
| Drywall Frame Kit | DF | |
| Emergency Battery Pack | EM | |
| HLR/GLR Fuse | FU | |
| Flex Whip | FW | |
| Separate Circuit | SC | |
| finish | | <u>WH</u> |
| Matte Satin White | WH | |

equation™ 2x2

Terms: 50 pieces or less.



10 DAY Q

| | | |
|---------------------------------------------------|------|------------|
| luminaire series | | <u>FEQ</u> |
| Equation | FEQ | |
| nominal size | | <u>24</u> |
| 2' x 4' | 24 | |
| distribution | | <u>B</u> |
| Bi-Directional | B | |
| lamp quantity | | <u></u> |
| One Lamp | 1 | |
| Two Lamp | 2 | |
| Three Lamp | 3 | |
| lamp type | | <u></u> |
| T5 | T5 | |
| T5HO | T5HO | |
| T8 | T8 | |
| ballast | | <u></u> |
| Electronic Instant Start <20% THD (T8 only) | E | |
| Electronic Program Start <10% THD | S | |
| voltage | | <u></u> |
| 120 Volt | 120 | |
| 277 Volt | 277 | |
| mounting | | <u></u> |
| 15/16" Grid | G1 | |
| 9/16" Grid | G2 | |
| 9/16" Slot Tee | G3 | |
| shielding | | <u></u> |
| Natural Anodized Side Rails | AL | |
| High Performance White Side Rails | WP | |
| factory options | | <u></u> |
| Air Return | AR | |
| Chicago Plenum | CP | |
| Drywall Frame Kit | DF | |
| Emergency Battery Pack | EM | |
| HLR/GLR Fuse | FU | |
| Flex Whip | FW | |
| Separate Circuit | SC | |
| finish | | <u>WH</u> |
| Matte Satin White | WH | |

equation™ 2x4

Terms: 50 pieces or less.

