

# 10 DAY Q

## luminaire series FV1S

Verve I FV1S

### shielding SD

Solid Housing SD

### lamping \_\_\_\_\_

2 Lamp T5 2T5  
2 Lamp T5HO 2T5HO

### circuit \_\_\_\_\_

Single Circuit 1C  
Dual Circuit 2C

### voltage \_\_\_\_\_

120 Volt 120  
277 Volt 277

### ballast S

Electronic Program Start <10% THD S

### mounting \_\_\_\_\_

24" Cable Suspension C24  
48" Cable Suspension C48  
96" Cable Suspension C96

### factory options \_\_\_\_\_

Emergency Circuit EC  
Emergency Battery Pack EM  
HLR/GLR Fuse FU

### finish \_\_\_\_\_

Matte Satin White WH  
Titanium Silver TS

### luminaire length \_\_\_\_\_

4' 4'  
8' 8'  
12' 12'  
16' (8'+8') 16'  
20' (8'+4'+8') 20'  
24' (8'+8'+8') 24'

(Longer run lengths available; consult factory for availability.)

# 10 DAY Q

## luminaire series FV1W

Verve I FV1W

### shielding SD

Solid Housing SD

### lamping \_\_\_\_\_

1 Lamp T5 1T5  
1 Lamp T5HO 1T5HO  
2 Lamp T5 2T5  
2 Lamp T5HO 2T5HO

### circuit \_\_\_\_\_

Single Circuit 1C  
Dual Circuit 2C  
(Two lamp luminaires only)

### voltage \_\_\_\_\_

120 Volt 120  
277 Volt 277

### ballast S

Electronic Program Start <10% THD S

### mounting WM

Wall Mount WM

### factory options \_\_\_\_\_

Emergency Circuit EC  
Emergency Battery Pack EM  
HLR/GLR Fuse FU

### finish \_\_\_\_\_

Matte Satin White WH  
Titanium Silver TS

### luminaire length \_\_\_\_\_



4' 4'  
8' 8'  
12' (8'+4') 12'  
16' (8'+8') 16'  
20' (8'+4'+8') 20'  
24' (8'+8'+8') 24'

(Longer run lengths available; consult factory for availability.)

suspended & wall mount

# verve™ I

Terms: 2500 linear feet or less.



# 10 DAY Q

## luminaire series FV2S

Verve II FV2S

### shielding

Perforated Housing PS  
Slotted Housing SL

### lampping

2 Lamp T5 2T5  
3 Lamp T5 3T5  
1 Lamp T5H0 1T5H0  
2 Lamp T5H0 2T5H0  
3 Lamp T5H0 3T5H0  
2 Lamp T8 2T8  
3 Lamp T8 3T8

### circuit

Single Circuit 1C  
Dual Circuit 2C  
(Multiple lamp luminaires only)

### voltage

120 Volt 120  
277 Volt 277

### ballast

Electronic Instant Start <20% THD (T8 only) E  
Electronic Program Start <10% THD S

### mounting

24" Cable Suspension C24  
48" Cable Suspension C48  
96" Cable Suspension C96

### factory options

Dust Cover DC  
Emergency Circuit EC  
Emergency Battery Pack EM  
HLR/GLR Fuse FU

### finish

Matte Satin White WH  
Titanium Silver TS

### luminaire length

4' 4'  
8' 8'  
12' (8'+4') 12'  
16' (8'+8') 16'  
20' (8'+4'+8') 20'  
24' (8'+8'+8') 24'

(Longer run lengths available; consult factory for availability.)

# 10 DAY Q

## luminaire series FV2W

Verve II FV2W

### shielding

Perforated Housing PS  
Slotted Housing SL

### lampping

1 Lamp T5 1T5  
1 Lamp T5H0 1T5H0  
2 Lamp T5 2T5  
2 Lamp T5H0 2T5H0  
1 Lamp T8 1T8

### circuit

Single Circuit 1C

### voltage

120 Volt 120  
277 Volt 277

### ballast

Electronic Instant Start <20% THD (T8 only) E  
Electronic Program Start <10% THD S

### mounting

Wall Mount WM

### factory options

Dust Cover DC  
Emergency Circuit EC  
Emergency Battery Pack EM  
HLR/GLR Fuse FU

### finish

Matte Satin White WH  
Titanium Silver TS

### luminaire length



4' 4'  
8' 8'  
12' (8'+4') 12'  
16' (8'+8') 16'  
20' (8'+4'+8') 20'  
24' (8'+8'+8') 24'

(Longer run lengths available; consult factory for availability.)

suspended & wall mount

# verve™ II

Terms: 2500 linear feet or less.



# 10 DAY Q

<b>luminaire series</b>		<u>FV3S</u>
Verve III	FV3S	
<b>shielding</b>		<u>PL</u>
Semi-Specular, Parabolic Louver	PL	
<b>lampping</b>		<u>                    </u>
2 Lamp T5	2T5	
3 Lamp T5	3T5	
1 Lamp T5HO	1T5HO	
2 Lamp T5HO	2T5HO	
3 Lamp T5HO	3T5HO	
2 Lamp T8	2T8	
3 Lamp T8	3T8	
<b>circuit</b>		<u>                    </u>
Single Circuit	1C	
Dual Circuit (Multiple lamp luminaires only)	2C	
<b>voltage</b>		<u>                    </u>
120 Volt	120	
277 Volt	277	
<b>ballast</b>		<u>                    </u>
Electronic Instant Start <20% THD (T8 only)	E	
Electronic Program Start <10% THD	S	
<b>mounting</b>		<u>                    </u>
24" Cable Suspension	C24	
48" Cable Suspension	C48	
96" Cable Suspension	C96	
<b>factory options</b>		<u>                    </u>
Dust Cover	DC	
Emergency Circuit	EC	
Emergency Battery Pack	EM	
HLR/GLR Fuse	FU	
<b>finish</b>		<u>                    </u>
Matte Satin White	WH	
Titanium Silver	TS	
<b>luminaire length</b>		<u>                    </u>
4'	4'	
8'	8'	
12' (8'+4')	12'	
16' (8'+8')	16'	
20' (8'+4'+8')	20'	
24' (8'+8'+8')	24'	
(Longer run lengths available; consult factory for availability.)		

louver

verve™ III

Terms: 1500 linear feet or less.

