


etch™ design guide

- Average Footcandles
- Workplane Uniformity (avg/min)
- Ceiling Uniformity (avg/min)
- Watts/Square Foot


24'x30' | 10' Ceiling | 24" Suspension | 12' Spacing

	Baffle				MicroGlow Lens			
1T5H0	45	2:1	6:1	1.05				
1T5	25	2:1	6:1	0.53	28	2:1	6:1	0.53
2T5	53	2:1	6:1	1.05				
2T8	42	2:1	6:1	1.07				



48'x50' | 10' Ceiling | 24" Suspension | 12' Spacing

	Baffle				MicroGlow Lens			
1T5H0	50	3:1	8:1	1.05				
1T5	29	3:1	9:1	0.53	32	3:1	8:1	0.53
2T5	62	3:1	8:1	1.05				
2T8	48	3:1	7:1	1.07				



48'x50' | 8.5' Ceiling | 12" Suspension | 12' Spacing


	Baffle				MicroGlow Lens			
1T5H0	49	4:1	11:1	1.05				
1T5	29	3:1	11:1	0.53	32	4:1	10:1	0.53

etch™ design guide

- Average Footcandles
- Workplane Uniformity (avg/min)
- Ceiling Uniformity (avg/min)
- Watts/Square Foot

48'x50' | 10' Ceiling | 24" Suspension | 16' Spacing

	Baffle				MicroGlow Lens			
1T5H0	38	3:1	10:1	0.79				
1T5	22	3:1	10:1	0.40	24	3:1	10:1	0.40
2T5	47	3:1	9:1	0.79				
2T8	37	3:1	9:1	0.80				




48'x50' | 8.5' Ceiling | 12" Suspension | 16' Spacing

	Baffle				MicroGlow Lens			
1T5H0	38	4:1	12:1	0.79				
1T5	22	4:1	12:1	0.40	24	4:1	11:1	0.40

56'x50' | 10' Ceiling | 24" Suspension | 14' Spacing

	Baffle				MicroGlow Lens			
1T5H0	44	3:1	9:1	0.90				
1T5	25	3:1	9:1	0.46	28	3:1	8:1	0.46
2T5	54	3:1	9:1	0.90				
2T8	42	3:1	8:1	0.90				




56'x50' | 8.5' Ceiling | 12" Suspension | 14' Spacing

	Baffle				MicroGlow Lens			
1T5H0	44	4:1	13:1	0.90				
1T5	25	4:1	13:1	0.46	28	4:1	12:1	0.46

- Average Footcandles
- Workplane Uniformity (avg/min)
- Ceiling Uniformity (avg/min)
- Watts/Square Foot

12'x12' | 10' Ceiling | 24" Suspension | 6' Spacing

	Baffle				MicroGlow Lens			
1T5H0	44	1:1	2:1	1.75				
1T5	25	1:1	2:1	0.89	30	1:1	2:1	0.89
2T5	56	1:1	2:1	1.75				
2T8	46	1:1	2:1	1.78				



12'x12' | 8.5' Ceiling | 12" Suspension | 6' Spacing

	Baffle				MicroGlow Lens			
1T5H0	51	1:1	4:1	1.75				
1T5	29	1:1	4:1	0.89	34	1:1	4:1	0.89